



MEMO:

Date: March 11, 2020

To: All Individuals Served, Families, Residential Staff, and MVLE Program Staff

From: Michelle Lotrecchiano, Sr. Director Program Services *mf*

Re: Corona Virus Prevention and Updates

This is an update to the memo sent on 3/6/20 to address questions about the growing concerns of the spread of COVID-19, as well as steps MVLE is taking. The Department of Health has stated there are eight "presumptive cases" in Virginia. MVLE wants to provide you information to help ensure everyone stays as healthy as possible.

If you have any of following symptoms, please ensure you let your supervisor know so we can help keep everyone healthy.

- Mild to severe respiratory illness
- Fever
- Cough
- Shortness of breath

If you do have any of these symptoms or have been in contact with an individual who has these symptoms we are asking that you practice self-quarantine and stay home for a period of 14 days, according to CDC recommendations.

Anyone who has been to or had contact with anyone recently returning from any CDC Level 3 country (currently China, Iran, Italy, and South Korea), should contact their MVLE supervisor and stay home for a period of 14 days from the time they left the area or had contact with someone who had been to an impacted country in the last 14 days.

Anyone who has been to, or had contact with anyone recently returning from any CDC Level 2 country (Currently just Japan), should contact their MVLE supervisor and remain away from MVLE locations or sites for a period of 14 days from the time they left the area or had contact with someone who had been to an impacted country in the last 14days.

Please remember the following prevention tips:

- Avoid close contact with people who are sick
- Avoid touching your eyes, nose, and mouth with unwashed hands
- Cover coughs and sneezes with a tissue, then throw it in the trash can
- Wash your hands often with soap and water for at least 20 seconds. Use an alcohol-based hand sanitizer that contains at least 60% alcohol if soap and water are not available.
- Routinely clean and disinfect frequently touched surfaces and objects

If you do have any of the above symptoms, please seek medical attention as soon as possible.

MVLE has instituted daily wellness checks for all staff and individuals.

As part of our preparedness and response plan to COVID-19, our parent company, FedCap, has established a Command Center and hotline:

Toll Free Number: 1-844-653-0340

Please do not hesitate to contact the hotline with any questions and concerns you may have regarding the virus.

The following video is highly informative about the virus and prevention practices. The link is:
<https://www.youtube.com/watch?v=kIL5m5XznNY#action=share>

We have attached CDC information for your information.

Stay healthy and please call if you have any questions.

What is coronavirus disease 2019 (COVID-19)?

Coronavirus disease 2019 (COVID-19) is a respiratory illness that can spread from person to person. The virus that causes COVID-19 is a novel coronavirus that was first identified during an investigation into an outbreak in Wuhan, China.

Can people in the U.S. get COVID-19?

Yes. COVID-19 is spreading from person to person in parts of the United States. Risk of infection with COVID-19 is higher for people who are close contacts of someone known to have COVID-19, for example healthcare workers, or household members. Other people at higher risk for infection are those who live in or have recently been in an area with ongoing spread of COVID-19. Learn more about places with ongoing spread at <https://www.cdc.gov/coronavirus/2019-ncov/about/transmission.html#geographic>.

Have there been cases of COVID-19 in the U.S.?

Yes. The first case of COVID-19 in the United States was reported on January 21, 2020. The current count of cases of COVID-19 in the United States is available on CDC's webpage at <https://www.cdc.gov/coronavirus/2019-ncov/cases-in-us.html>.

How does COVID-19 spread?

The virus that causes COVID-19 probably emerged from an animal source, but is now spreading from person to person. The virus is thought to spread mainly between people who are in close contact with one another (within about 6 feet) through respiratory droplets produced when an infected person coughs or sneezes. It also may be possible that a person can get COVID-19 by touching a surface or object that has the virus on it and then touching their own mouth, nose, or possibly their eyes, but this is not thought to be the main way the virus spreads. Learn what is known about the spread of newly emerged coronaviruses at <https://www.cdc.gov/coronavirus/2019-ncov/about/transmission.html>.

What are the symptoms of COVID-19?

Patients with COVID-19 have had mild to severe respiratory illness with symptoms of

- fever
- cough
- shortness of breath

What are severe complications from this virus?

Some patients have pneumonia in both lungs, multi-organ failure and in some cases death.

How can I help protect myself?

People can help protect themselves from respiratory illness with everyday preventive actions.

- Avoid close contact with people who are sick.
- Avoid touching your eyes, nose, and mouth with unwashed hands.
- Wash your hands often with soap and water for at least 20 seconds. Use an alcohol-based hand sanitizer that contains at least 60% alcohol if soap and water are not available.

If you are sick, to keep from spreading respiratory illness to others, you should

- Stay home when you are sick.
- Cover your cough or sneeze with a tissue, then throw the tissue in the trash.
- Clean and disinfect frequently touched objects and surfaces.

What should I do if I recently traveled from an area with ongoing spread of COVID-19?

If you have traveled from an affected area, there may be restrictions on your movements for up to 2 weeks. If you develop symptoms during that period (fever, cough, trouble breathing), seek medical advice. Call the office of your health care provider before you go, and tell them about your travel and your symptoms. They will give you instructions on how to get care without exposing other people to your illness. While sick, avoid contact with people, don't go out and delay any travel to reduce the possibility of spreading illness to others.

Is there a vaccine?

There is currently no vaccine to protect against COVID-19. The best way to prevent infection is to take everyday preventive actions, like avoiding close contact with people who are sick and washing your hands often.

Is there a treatment?

There is no specific antiviral treatment for COVID-19. People with COVID-19 can seek medical care to help relieve symptoms.



If you are sick with COVID-19 or suspect you are infected with the virus that causes COVID-19, follow the steps below to help prevent the disease from spreading to people in your home and community.

Stay home except to get medical care

You should restrict activities outside your home, except for getting medical care. Do not go to work, school, or public areas. Avoid using public transportation, ride-sharing, or taxis.

Separate yourself from other people and animals in your home

People: As much as possible, you should stay in a specific room and away from other people in your home. Also, you should use a separate bathroom, if available.

Animals: Do not handle pets or other animals while sick. See [COVID-19 and Animals](#) for more information.

Call ahead before visiting your doctor

If you have a medical appointment, call the healthcare provider and tell them that you have or may have COVID-19. This will help the healthcare provider's office take steps to keep other people from getting infected or exposed.

Wear a facemask

You should wear a facemask when you are around other people (e.g., sharing a room or vehicle) or pets and before you enter a healthcare provider's office. If you are not able to wear a facemask (for example, because it causes trouble breathing), then people who live with you should not stay in the same room with you, or they should wear a facemask if they enter your room.

Cover your coughs and sneezes

Cover your mouth and nose with a tissue when you cough or sneeze. Throw used tissues in a lined trash can; immediately wash your hands with soap and water for at least 20 seconds or clean your hands with an alcohol-based hand sanitizer that contains at least 60% alcohol covering all surfaces of your hands and rubbing them together until they feel dry. Soap and water should be used preferentially if hands are visibly dirty.

Avoid sharing personal household items

You should not share dishes, drinking glasses, cups, eating utensils, towels, or bedding with other people or pets in your home. After using these items, they should be washed thoroughly with soap and water.

Clean your hands often

Wash your hands often with soap and water for at least 20 seconds. If soap and water are not available, clean your hands with an alcohol-based hand sanitizer that contains at least 60% alcohol, covering all surfaces of your hands and rubbing them together until they feel dry. Soap and water should be used preferentially if hands are visibly dirty. Avoid touching your eyes, nose, and mouth with unwashed hands.

Clean all "high-touch" surfaces every day

High touch surfaces include counters, tabletops, doorknobs, bathroom fixtures, toilets, phones, keyboards, tablets, and bedside tables. Also, clean any surfaces that may have blood, stool, or body fluids on them. Use a household cleaning spray or wipe, according to the label instructions. Labels contain instructions for safe and effective use of the cleaning product including precautions you should take when applying the product, such as wearing gloves and making sure you have good ventilation during use of the product.

Monitor your symptoms

Seek prompt medical attention if your illness is worsening (e.g., difficulty breathing). **Before** seeking care, call your healthcare provider and tell them that you have, or are being evaluated for, COVID-19. Put on a facemask before you enter the facility. These steps will help the healthcare provider's office to keep other people in the office or waiting room from getting infected or exposed.

Ask your healthcare provider to call the local or state health department. Persons who are placed under active monitoring or facilitated self-monitoring should follow instructions provided by their local health department or occupational health professionals, as appropriate. When working with your local health department check their available hours.

If you have a medical emergency and need to call 911, notify the dispatch personnel that you have, or are being evaluated for COVID-19. If possible, put on a facemask before emergency medical services arrive.

Discontinuing home isolation

Patients with confirmed COVID-19 should remain under home isolation precautions until the risk of secondary transmission to others is thought to be low. The decision to discontinue home isolation precautions should be made on a case-by-case basis, in consultation with healthcare providers and state and local health departments.



Keeping the workplace safe Encourage your employees to...

Practice good hygiene



- Stop handshaking – use other noncontact methods of greeting
- Clean hands at the door and schedule regular hand washing reminders by email
- Create habits and reminders to avoid touching their faces and cover coughs and sneezes
- Disinfect surfaces like doorknobs, tables, desks, and handrails regularly
- Increase ventilation by opening windows or adjusting air conditioning

Be careful with meetings and travel



- Use videoconferencing for meetings when possible
- When not possible, hold meetings in open, well-ventilated spaces
- Consider adjusting or postponing large meetings or gatherings
- Assess the risks of business travel

Handle food carefully



- Limit food sharing
- Strengthen health screening for cafeteria staff and their close contacts
- Ensure cafeteria staff and their close contacts practice strict hygiene

Stay home if...



- They are feeling sick
- They have a sick family member in their home

What every American and community can do now to decrease the spread of the coronavirus


Keeping the school safe Encourage your faculty, staff, and students to...

Practice good hygiene



- Stop handshaking – use other noncontact methods of greeting
- Clean hands at the door and at regular intervals
- Create habits and reminders to avoid touching their faces and cover coughs and sneezes
- Disinfect surfaces like doorknobs, tables, desks, and handrails regularly
- Increase ventilation by opening windows or adjusting air conditioning

Consider rearranging large activities and gatherings




- Consider adjusting or postponing gatherings that mix between classes and grades
- Adjust after-school arrangements to avoid mixing between classes and grades
- When possible, hold classes outdoors or in open, well-ventilated spaces

Handle food carefully



- Limit food sharing
- Strengthen health screening for cafeteria staff and their close contacts
- Ensure cafeteria staff and their close contacts practice strict hygiene

Stay home if...




- They are feeling sick
- They have a sick family member in their home

What every American and community can do now to decrease the spread of the coronavirus


Keeping the home safe Encourage your family members to...

All households



- Clean hands at the door and at regular intervals
- Create habits and reminders to avoid touching their face and cover coughs and sneezes
- Disinfect surfaces like doorknobs, tables, and handrails regularly
- Increase ventilation by opening windows or adjusting air conditioning

Households with vulnerable seniors or those with significant underlying conditions



Significant underlying conditions include heart, lung, kidney disease; diabetes; and conditions that suppress the immune system

- Have the healthy people in the household conduct themselves as if they were a significant risk to the person with underlying conditions. For example, wash hands frequently before interacting with the person, such as by feeding or caring for the person
- If possible, provide a protected space for vulnerable household members
- Ensure all utensils and surfaces are cleaned regularly

Households with sick family members



- Give sick members their own room if possible, and keep the door closed
- Have only one family member care for them
- Consider providing additional protections or more intensive care for household members over 65 years old or with underlying conditions

What every American and community can do now to decrease the spread of the coronavirus

Keeping commercial establishments safe Encourage your employees and customers to...

Practice good hygiene




- Stop handshaking – use other noncontact methods of greeting
- Clean hands at the door, and schedule regular hand washing reminders by email
- Promote tap and pay to limit handling of cash
- Disinfect surfaces like doorknobs, tables, desks, and handrails regularly
- Increase ventilation by opening windows or adjusting air conditioning

Avoid crowding



- Use booking and scheduling to stagger customer flow
- Use online transactions where possible
- Consider limiting attendance at larger gatherings

For transportation businesses, taxis, and ride shares



- Keep windows open when possible
- Increase ventilation
- Regularly disinfect surfaces

What every American and community can do now to decrease the spread of the coronavirus